

L Number	Hits	Search Text	DB	Time stamp
1	1504	(SDH or SONET) same fram\$3	USPAT; EPO; JPO	2003/11/14 10:13
2	369	((SDH or SONET) same fram\$3) and (section with overhead)	USPAT; EPO; JPO	2003/11/14 10:00
3	113	((SDH or SONET) same fram\$3) and ((section with overhead) or (regenerat\$3 with section with overhead) or (RSOH) or "K1")	USPAT; EPO; JPO	2003/11/14 10:02
4	373	((SDH or SONET) same fram\$3) and ((section with overhead) or (regenerat\$3 with section with overhead) or (RSOH))	USPAT; EPO; JPO	2003/11/14 10:14
5	254	((SDH or SONET) same fram\$3) and ((section with overhead) or (regenerat\$3 with section with overhead) or (RSOH)) and ((line with overhead) or (multiplex with section with overhead) or (MSOH))	USPAT; EPO; JPO	2003/11/14 10:14
6	18	((SDH or SONET) same fram\$3) and ((section with overhead) or (regenerat\$3 with section with overhead) or (RSOH)) and ((line with overhead) or (multiplex with section with overhead) or (MSOH)) and ((a or one or single) with bit) same (chang\$3 or adjust\$3 or modif\$5) same (information or "k1" or "k2" or "k3")	USPAT; EPO; JPO	2003/11/14 10:15
7	16	((SDH or SONET) same fram\$3) and ((section with overhead) or (regenerat\$3 with section with overhead) or (RSOH)) and ((line with overhead) or (multiplex with section with overhead) or (MSOH)) and ((a or one or single) with bit) same (chang\$3 or adjust\$3 or modif\$5) same (information or "k1" or "k2" or "k3")) and @ad<19990609	USPAT; EPO; JPO	2003/11/14 10:12
8	19	((SDH or SONET) same fram\$3) and ((section with overhead) or (regenerat\$3 with section with overhead) or (RSOH)) and ((line with overhead) or (multiplex with section with overhead) or (MSOH)) and ((a or one or single) with bit) same (chang\$3 or adjust\$3 or modif\$5) same (information or "k1" or "k2" or "k3" or (section with overhead))	USPAT; EPO; JPO	2003/11/14 10:11
10	17	((SDH or SONET) same fram\$3) and ((section with overhead) or (regenerat\$3 with section with overhead) or (RSOH)) and ((line with overhead) or (multiplex with section with overhead) or (MSOH)) and ((a or one or single) with bit) same (chang\$3 or adjust\$3 or modif\$5) same (information or "k1" or "k2" or "k3" or (section with overhead))) and @ad<19990609	USPAT; EPO; JPO	2003/11/14 13:26
11	823	(SDH or SONET) near4 frame	USPAT; EPO; JPO	2003/11/14 10:14
12	251	((SDH or SONET) near4 frame) and ((section with overhead) or (regenerat\$3 with section with overhead) or (RSOH))	USPAT; EPO; JPO	2003/11/14 10:14
13	179	((SDH or SONET) near4 frame) and ((section with overhead) or (regenerat\$3 with section with overhead) or (RSOH)) and ((line with overhead) or (multiplex with section with overhead) or (MSOH))	USPAT; EPO; JPO	2003/11/14 10:14
14	30	((SDH or SONET) near4 frame) and ((section with overhead) or (regenerat\$3 with section with overhead) or (RSOH)) and ((line with overhead) or (multiplex with section with overhead) or (MSOH)) and ((a or one or single) same bit) same (chang\$3 or adjust\$3 or modif\$5) same (information or "k1" or "k2" or "k3" or (section with overhead))	USPAT; EPO; JPO	2003/11/14 10:17

15	17	(((((SDH or SONET) near4 frame) and ((section with overhead) or (regenerat\$3 with section with overhead) or (RSOH))) and ((line with overhead) or (multiplex with section with overhead) or (MSOH))) and ((a or one or single) with bit) same (chang\$3 or adjust\$3 or modif\$5) same (information or "k1" or "k2" or "k3" or (section with overhead)))	USPAT; EPO; JPO	2003/11/14 10:21
17	4	(((((SDH or SONET) near4 frame) and ((section with overhead) or (regenerat\$3 with section with overhead) or (RSOH))) and ((line with overhead) or (multiplex with section with overhead) or (MSOH))) and ((a or one or single) with bit) same (chang\$3 or adjust\$3 or modif\$5) same (information or "k1" or "k2" or "k3" or (section with overhead))) and ((optimiz\$5 same time) or (increas\$3 same (nodes or devices or elements or unit)))	USPAT; EPO; JPO	2003/11/14 10:23
18	4	(((((SDH or SONET) near4 frame) and ((section with overhead) or (regenerat\$3 with section with overhead) or (RSOH))) and ((line with overhead) or (multiplex with section with overhead) or (MSOH))) and ((a or one or single) with bit) same (chang\$3 or adjust\$3 or modif\$5) same (information or "k1" or "k2" or "k3" or (section with overhead))) and ((optimiz\$5 same time) or (increas\$3 same (nodes or devices or elements or unit)))) and @ad<19990609	USPAT; EPO; JPO	2003/11/14 10:54
19	31	(chang\$3 or adjust\$3 or modif\$5) same bit same (((section near4 overhead) or (regeneration near4 section near4 overhead) or (RSOH) or (multiplex near4 section near4 overhead) or (MSOH) or (line near4 overhead)))	USPAT; EPO; JPO	2003/11/14 10:47
20	355	(chang\$3 or adjust\$3 or modif\$5) same bit same (((section near4 overhead) or (regeneration near4 section near4 overhead) or (RSOH) or (multiplex near4 section near4 overhead) or (MSOH) or (line near4 overhead)) or "k1" or "k2" or "k3")	USPAT; EPO; JPO	2003/11/14 10:48
21	355	(chang\$3 or adjust\$3 or modif\$5) same bit same (((section near4 overhead) or (regeneration near4 section near4 overhead) or (RSOH) or (multiplex near4 section near4 overhead) or (MSOH) or (line near4 overhead) or "k1" or "k2" or "k3"))	USPAT; EPO; JPO	2003/11/14 10:56
22	17	((chang\$3 or adjust\$3 or modif\$5) same bit same (((section near4 overhead) or (regeneration near4 section near4 overhead) or (RSOH) or (multiplex near4 section near4 overhead) or (MSOH) or (line near4 overhead) or "k1" or "k2" or "k3"))) and ((optimiz\$10 or maxim\$10) same (increas\$3 same (nodes or unit or devices)) or (time with managemnet))	USPAT; EPO; JPO	2003/11/14 10:51
24	85	((chang\$3 or adjust\$3 or modif\$5) same bit same (((section near4 overhead) or (regeneration near4 section near4 overhead) or (RSOH) or (multiplex near4 section near4 overhead) or (MSOH) or (line near4 overhead) or "k1" or "k2" or "k3"))) and (((optimiz\$10 or maxim\$10) same (time same management)) or (increas\$3 same (nodes or unit or devices)))	USPAT; EPO; JPO	2003/11/14 10:53

25	70	((chang\$3 or adjust\$3 or modif\$5) with bit with (((section near4 overhead) or (regeneration near4 section near4 overhead) or (RSOH) or (multiplex near4 section near4 overhead) or (MSOH) or (line near4 overhead) or "k1" or "k2" or "k3"))	USPAT; EPO; JPO	2003/11/14 10:53
26	8	((chang\$3 or adjust\$3 or modif\$5) with bit with (((section near4 overhead) or (regeneration near4 section near4 overhead) or (RSOH) or (multiplex near4 section near4 overhead) or (MSOH) or (line near4 overhead) or "k1" or "k2" or "k3"))) and (((optimiz\$10 or maxim\$10) same (time same management)) or (increas\$3 same (nodes or unit or devices)))	USPAT; EPO; JPO	2003/11/14 10:58
27	62	((chang\$3 or adjust\$3 or modif\$5) with bit with (((section near4 overhead) or (regeneration near4 section near4 overhead) or (RSOH) or (multiplex near4 section near4 overhead) or (MSOH) or (line near4 overhead) or "k1" or "k2" or "k3"))) and @ad<19990609	USPAT; EPO; JPO	2003/11/14 10:54
28	7	((chang\$3 or adjust\$3 or modif\$5) with bit with (((section near4 overhead) or (regeneration near4 section near4 overhead) or (RSOH) or (multiplex near4 section near4 overhead) or (MSOH) or (line near4 overhead) or "k1" or "k2" or "k3"))) and (((optimiz\$10 or maxim\$10) same (time same management)) or (increas\$3 same (nodes or unit or devices)))) and @ad<19990609	USPAT; EPO; JPO	2003/11/14 13:32
29	20	(SONET or SDH) near4 frame and (chang\$3 or adjust\$3 or modif\$5) same bit same (((section near4 overhead) or (regeneration near4 section near4 overhead) or (RSOH) or (multiplex near4 section near4 overhead) or (MSOH) or (line near4 overhead) or "k1" or "k2" or "k3"))	USPAT; EPO; JPO	2003/11/14 13:42
30	6	((SONET or SDH) near4 frame and (chang\$3 or adjust\$3 or modif\$5) same bit same (((section near4 overhead) or (regeneration near4 section near4 overhead) or (RSOH) or (multiplex near4 section near4 overhead) or (MSOH) or (line near4 overhead) or "k1" or "k2" or "k3"))) and (((optimiz\$10 or maxim\$10) same (time same management)) or (increas\$3 same (nodes or unit or devices)))	USPAT; EPO; JPO	2003/11/14 13:18
31	26	((SDH or SONET) near4 frame) and ((multiplex near4 section near4 overhead) or (MSOH))	USPAT; EPO; JPO	2003/11/14 13:20
34	243	370/470.ccls.	USPAT; EPO; JPO	2003/11/14 13:28
35	8	370/470.ccls. and ((SDH or SONET) near4 frame)	USPAT; EPO; JPO	2003/11/14 13:27
37	80	370/472.ccls.	USPAT; EPO; JPO	2003/11/14 13:30
39	677	370/474.ccls.	USPAT; EPO; JPO	2003/11/14 13:31
41	576	370/476.ccls.	USPAT; EPO; JPO	2003/11/14 13:34
42	2	370/476.ccls. and (SONET or SDH) near4 frame and (chang\$3 or adjust\$3 or modif\$5) same bit same (((section near4 overhead) or (regeneration near4 section near4 overhead) or (RSOH) or (multiplex near4 section near4 overhead) or (MSOH) or (line near4 overhead) or "k1" or "k2" or "k3"))	USPAT; EPO; JPO	2003/11/14 13:32

43	2	(370/476.ccls. and (SONET or SDH) near4 frame and (chang\$3 or adjust\$3 or modif\$5) same bit same (((section near4 overhead) or (regeneration near4 section near4 overhead) or (RSOH) or (multiplex near4 section near4 overhead) or (MSOH) or (line near4 overhead) or "k1" or "k2" or "k3"))) and @ad<19990609	USPAT; EPO; JPO	2003/11/14 13:32
44	1480	370/503.ccls.	USPAT; EPO; JPO	2003/11/14 13:35
46	168	370/505.ccls.	USPAT; EPO; JPO	2003/11/14 13:36
48	357	370/506.ccls.	USPAT; EPO; JPO	2003/11/14 13:36
49	2	370/506.ccls. and (SONET or SDH) near4 frame and (chang\$3 or adjust\$3 or modif\$5) same bit same (((section near4 overhead) or (regeneration near4 section near4 overhead) or (RSOH) or (multiplex near4 section near4 overhead) or (MSOH) or (line near4 overhead) or "k1" or "k2" or "k3"))	USPAT; EPO; JPO	2003/11/14 13:39
50	2097	375/362-366.ccls.	USPAT; EPO; JPO	2003/11/14 13:40
52	0	375/362-366.ccls. and (SONET or SDH) near4 frame and (chang\$3 or adjust\$3 or modif\$5) same bit same (((section near4 overhead) or (regeneration near4 section near4 overhead) or (RSOH) or (multiplex near4 section near4 overhead) or (MSOH) or (line near4 overhead) or "k1" or "k2" or "k3"))	USPAT; EPO; JPO	2003/11/14 13:41
53	119	398/43.ccls.	USPAT; EPO; JPO	2003/11/14 13:43
54	0	398/43.ccls. and (SONET or SDH) near4 frame and (chang\$3 or adjust\$3 or modif\$5) same bit same (((section near4 overhead) or (regeneration near4 section near4 overhead) or (RSOH) or (multiplex near4 section near4 overhead) or (MSOH) or (line near4 overhead) or "k1" or "k2" or "k3"))	USPAT; EPO; JPO	2003/11/14 13:42
55	0	398/43.ccls. and (chang\$3 or adjust\$3 or modif\$5) same bit same (((section near4 overhead) or (regeneration near4 section near4 overhead) or (RSOH) or (multiplex near4 section near4 overhead) or (MSOH) or (line near4 overhead) or "k1" or "k2" or "k3"))	USPAT; EPO; JPO	2003/11/14 13:43
56	113	398/58.ccls.	USPAT; EPO; JPO	2003/11/14 13:45
57	1	398/58.ccls. and (chang\$3 or adjust\$3 or modif\$5) same bit same (((section near4 overhead) or (regeneration near4 section near4 overhead) or (RSOH) or (multiplex near4 section near4 overhead) or (MSOH) or (line near4 overhead) or "k1" or "k2" or "k3"))	USPAT; EPO; JPO	2003/11/14 13:45
58	160	398/98.ccls.	USPAT; EPO; JPO	2003/11/14 13:45
59	1	398/98.ccls. and (chang\$3 or adjust\$3 or modif\$5) same bit same (((section near4 overhead) or (regeneration near4 section near4 overhead) or (RSOH) or (multiplex near4 section near4 overhead) or (MSOH) or (line near4 overhead) or "k1" or "k2" or "k3"))	USPAT; EPO; JPO	2003/11/14 13:47